

























- tion and control. World Health Organization (WHO) and the Special Programme for Research and Training in Tropical Diseases (TDR), Geneva, Switzerland.
- Tran A, Deparis X, Dussart P, Morvan J, Rabarison P, Remy F, Polidori L, Gardon J, 2004. Dengue spatial and temporal patterns, French Guiana, 2001. *Emerg Infect Dis* 10:615-21.
- Troyo A, Fuller DO, Calderon-Arguedas O, Solano ME, Beier JC, 2009. Urban structure and dengue fever in Puntarenas, Costa Rica. *Singap J Trop Geogr* 30:265-82.
- Trpis M, Hausermann W, 1986. Dispersal and other population parameters of *Aedes aegypti* in an African village and their possible significance in epidemiology of vector-borne diseases. *Am J Trop Med Hyg* 35:1263-79.
- Vezzani D, Carbajo AE, 2008. *Aedes aegypti*, *Aedes albopictus*, and dengue in Argentina: current knowledge and future directions. *Mem I Oswaldo Cruz* 103:66-74.
- Vezzani D, Rubio A, Velázquez SM, Schweigmann N, Wiegand T, 2005. Detailed assessment of microhabitat suitability for *Aedes aegypti* (Diptera: Culicidae) in Buenos Aires, Argentina. *Acta Trop* 95:123-31.
- WHO, 2014. State of the art in the prevention and control of dengue in the Americas. World Health Organization, Geneva, Switzerland. Available from: <http://iris.paho.org/xmlui/handle/123456789/31171>
- Wood BL, Beck LR, Washino RK, Hibbard KA, Salute JS, 1992. Estimating high mosquito-producing rice fields using spectral and spatial data. *Int J Remote Sens* 13:2813-26.

Non commercial use only